ELSEVIER

Nuclear Instruments and Methods in Physics Research A 467–468 (2001) xv–xxxv

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

www.elsevier.com/locate/nima

Contents

PART I

Preface vii
Committees ix
Conference Photographs x

Section I. Sources, and Insertion Devices

Light source performance achievements
J.L. Laclare 1

VUV and X-ray free-electron lasers
B. Sonntag. 8

MARS—a project of the diffraction-limited fourth generation X-ray source based on supermicrotron
G.N. Kulipanov, A.N. Skrinsky and N.A. Vinokurov 16

Elliptically polarizing insertion devices at BESSY II
J. Bahrdt, W. Frentrup, A. Gaupp, M. Scheer, W. Gudat, G. Ingold and S. Sasaki 21

Photon diagnostics on the VUV FEL at DESY: First lasing around 100 nm
R. Treusch, Ch. Gerth, T. Lokajczyk and J. Feldhaus 30

The European UV/VUV storage ring FEL at ELETTRA: first operation and future prospects
R.P. Walker. 34

Wavefront propagation through the beamline designed for seeding the DESY XUV FEL
R. Reininger, J. Feldhaus, P. Gürtler and J. Bahrdt 38

Approaches to lowering emittance in existing light sources
J.J. Bisognano 42

Performance of the Pohang Light Source
T.-Y. Lee, J. Choi, Y. Chung, J.Y. Huang, J.M. Lee, S.H. Nam and H.S. Youn 47

Present status of the Siam Photon Laboratory
W. Pairsuwan, P. Songsiriritthigul, M. Sugawara, G. Isoyama and T. Ishii 51

SESAME: an extended spectral range synchrotron radiation facility in the Middle East based on an upgrade to BESSY I
G.-A. Voss, T. Rabedeau, S. Raither, H. Schopper, E. Weihreter and H. Winick. 55

Project of the Dubna Electron Synchrotron
V.A. Arkhipov, V.K. Antropov, N.I. Balalykin, P.F. Beloshitsky, O.I. Brovko, A.B. Butenko, S.B. Fedorenko, I.N. Ivanov, V.G. Kadyshevsky, V.V. Kalinichenko, V.V. Kobets, E.A. Krasavin, I.N. Meshkov, V. Minashkin, N.A. Morozov, YU.A. Polyakov, N.A. Russakovich, A.O. Sidorin, A.I. Sidorov, G.I. Sidorov, A.N. Sissakyan, N.G. Shakun, V.A. Shvets, V.I. Smirnov, A.P. Sumbaev, E.M. Syresin, I.V. Titkova, S.I. Tyutyunnikov, A.S. Vodopyanov, M.V. Yurkov, H. Boer-Rookhuizen, E. Heine, W.P.J. Heubers, A.P. Kaan, F.B. Kroes, L.H. Kuijer, J.B.V.D. Laan, J. Langelaar, P.W.F. Louwrier, G. Luijckx, R. Maas, G. van Middelkoop, J.G. Noomen, J.B. Spelt, G.N. Kulipanov, E.B. Levichev, N.A. Mezentsev, E.M. Shatunov, A.N. Skrinsky, V.A. Ushakov, P.D. Vobly, V.N. Kolobanov and V.V. Mikhailin 59

PII: S0168-9002(01)01342-0

The lattice of the VSX light source
K. Harada, M. Satoh, H. Takaki, T. Koseki, N. Nakamura, Y. Kamiya and Y. Kobayashi 63

New lattice for UVSOR
M. Katoh, K. Hayashi, T. Honda, Y. Hori, M. Hosaka, T. Kinoshita, S. Kouda, Y. Takashima and J. Yamazaki 68

Design study of a storage ring light source at Tohoku University
S. Suzuki, M. Katoh, S. Sato and M. Watanabe 72

Measurement of optics parameters for HLS
B. Sun, H. Xu, D. He, W. Li, J. Wang, L. Wang, P. Lu, J. Liu and J. Liu 76

The beam loss monitoring system for HLS storage ring
L. Yuxiong, C. Yonggang, L. Weimin, L. Juexin, L. Zuping and S. Beibei 80

Development of the orbit feedback system for the VSX ring
M. Satoh, K. Harada, H. Takaki, T. Koseki, N. Nakamura, Y. Kamiya and K. Hanawa. 84

A compact X-ray source based on Compton scattering
E. Bulyak, P. Gladkikh, Yu. Grigor'ev, I. Guk, I. Karnaukhov, A. Khodyachikh, S. Kononenko, N. Mocheshnikov, A. Mytsykov, A. Shcherbakov, A. Tarasenko, Yu. Telegin and A. Zelinsky 88

Coaxial HOM coupler for the 500 MHz RF damped cavity
T. Koseki, M. Izawa, T. Takahashi, Y. Kamiya, K. Satoh and H. Ogata 91

Bunch lengthening in compact SR source HiSOR
T. Fujita, K. Goto, T. Kasuga, M. Katoh, Y. Kobayashi, F. Masaki, T. Obina, M. Tobiyama, K. Umemori, K. Yadomi and K. Yoshida 95

The SLS storage ring support and alignment systems
S. Zelenika, R. Kramert, L. Rivkin, M. Rohrer, D. Rossetti, R. Ruland, V. Schlott, A. Streun and P. Wiegand 99

Transverse beam feedback system for PLS storage ring
J.Y. Huang, M.K. Park, D.T. Kim, H.S. Kang, W.H. Hwang and S.H. Nam 103

The effects of the insertion devices at the VSX light source
K. Harada, M. Satoh, H. Takaki, T. Koseki, N. Nakamura and Y. Kamiya 106

Recent developments of insertion devices at SPring-8
H. Kitamura, T. Bizen, T. Hara, X. Maréchal, T. Seike and T. Tanaka 110

An overview of the insertion device development at SRRC
C.S. Hwang, C.H. Chang, T.C. Fan, Ch. Wang, J.R. Chen and C.T. Chen 114

The MAX-Wiggler, a cold bore superconducting wiggler with 47 3.5 T poles
E. Wallén, G. LeBlanc and M. Eriksson. 118

Development of the hard X-ray source based on a tabletop electron storage ring
H. Yamada, Y. Kitazawa, Y. Kanai, I. Tohyama, T. Ozaki, Y. Sakai, K. Sak, A.I. Kleev and G.D. Bogomolov 122

Insertion devices at the Swiss Light Source (phase I)
T. Schmidt, G. Ingold, A. Imhof, B.D. Patterson, L. Patthey, C. Quitmann, C. Schulze-Briese and R. Abela 126

A quasi-periodic hybrid undulator at BESSY II
J. Bahrdt, W. Frentrup, A. Gaupp, M. Scheer, W. Gudat, G. Ingold and S. Sasaki 130

Radiation of SPring-8 very long undulators
X.-M. Maréchal, T. Bizen, T. Hara, T. Seike, T. Tanaka and H. Kitamura. 134

In-vacuum wiggler at SPring-8
X.-M. Maréchal, T. Bizen, T. Hara, T. Seike, T. Tanaka and H. Kitamura. 138

First operation of 11 m long undulator at NewSUBARU
S. Hashimoto, A. Ando, M. Niibe, S. Miyamoto, Y. Shoji, Y. Fukuda, T. Tanaka and Y. Gomei 141

Improvement of beam lifetime due to vacuum system upgrade at 1.5 GeV storage ring "NewSUBARU"
S. Hashimoto, A. Ando, Y. Shoji, S. Miyamoto, Y. Fukuda, H. Ohkuma, H. Saeki and N. Kumagai 145

Field measurement and correction of the very long in-vacuum X-ray undulator at the SPring-8
T. Tanaka, T. Seike, X.M. Maréchal, T. Bizen, T. Hara and H. Kitamura 149

Parabolic undulator and its application to fast switching of helicity
T. Tanaka and H. Kitamura 153

6 cm period Apple-II type elliptically polarized undulator at PLS
D.E. Kim, H.G. Lee, H.S. Suh, Y.G. Jung, K.H. Park, J.Y. Kim and J.S. Bak 157

Revolver undulator for BL15XU at SPring-8
T. Hara, T. Tanaka, T. Seike, T. Bizen, X. Maréchal, A. Nisawa, S. Fukushima, H. Yoshikawa and H. Kitamura..... 161

In-vacuum X-ray helical undulator for high flux beamline at SPring-8
T. Hara, T. Tanaka, T. Seike, T. Bizen, X. Maréchal, T. Kohda, K. Inoue, T. Oka, T. Suzuki, N. Yagi and H. Kitamura..... 165

Fast switching source for polarization modulation spectroscopy
M. Rowen and J. Lüning 169

Performance and future plan of multimode undulator at HiSOR
G.V. Rybalchenko, K. Shirasawa, M. Morita, N.V. Smolyakov, K. Goto, T. Matsui and A. Hiraya..... 173

The number of effective poles of a wiggler on a X-ray beamline: a user's viewpoint
C.-H. Lee and R.C. Hewitt 177

Superconducting 7 T Wave Length Shifter for BESSY-II
V.M. Borovikov, V.K. Djurba, M.G. Fedurin, V.V. Repkov, G.V. Karpov, G.N. Kulipanov, M.V. Kuzin, N.A. Mezentsev, V.A. Shkaruba, D. Kraemer and D. Richter 181

Demagnetization of undulator magnets irradiated high energy electrons
T. Bizen, T. Tanaka, Y. Asano, D.E. Kim, J.S. Bak, H.S. Lee and H. Kitamura..... 185

Magnetic measurements of the 10 T superconducting wiggler for the SPring-8 storage ring
A. Batrakov, V. Borovikov, E. Bekhtenev, M. Fedurin, M. Hara, G. Karpov, M. Kuzin, N. Mezentsev, Y. Miahara, T. Shimada, V. Shkaruba, K. Soutome and K. Tzumaki 190

Stretch-wire system for integral magnetic field measurements
C.S. Hwang, C.H. Hong, F.Y. Lin and S.L. Yang 194

Precise NMR measurement and stabilization system of magnetic field of a superconducting 7 T wave length shifter
V.M. Borovikov, M.G. Fedurin, G.V. Karpov, D.A. Korshunov, E.A. Kuper, M.V. Kuzin, V.R. Mamkin, A.S. Medvedko, N.A. Mezentsev, V.V. Repkov, V.A. Shkaruba, E.I. Shubin and V.F. Veremeenko 198

Control and data acquisition systems for high field superconducting wigglers
A. Batrakov, I. Ilyin, G. Karpov, V. Kozak, M. Kuzin, E. Kuper, V. Mamkin, N. Mezentsev, V. Repkov, A. Selivanov and V. Shkaruba 202

The property of universality for wigglers and invariance of electromagnetic radiation
M.N. Smolyakov 206

Shift-scale invariance based computer code for wiggler radiation simulation
N.V. Smolyakov..... 210

Section II. Position Monitors

Beam stability of undulator and dipole radiation on BESSY II obtained by synchrotron radiation monitors
K. Holldack, D. Ponwitz and W.B. Peatman 213

First results of the novel photon beam position monitor for undulator beamlines of Elettra
A. Galimberti, R. Borghes, G. Paolucci, R. Presacco, G. Paolicelli and G. Stefani 221

Effect of horizontal fast electron beam position feedback on the performance of ESRF beamlines
S. Pascarelli and E. Plouviez 226

A CVD-diamond based beam profile monitor for undulator radiation
C. Schulze-Briese, B. Ketterer, C. Pradervand, Ch. Brönnimann, C. David, R. Horisberger, A. Puig-Molina and H. Graafsma 230

Source size and emittance monitoring on BESSY II
K. Holldack, J. Feikes and W.B. Peatman 235

Synchronous beam diagnostic system using cordless telephones at SPring-8
T.P. Kudo, H. Aoyagi, K. Sato, S. Wu, H. Tanaka, S. Sasaki, T. Nakatani, M. Takeuchi, T. Shimada, Y. Hiramatsu, A. Yokoya, A. Agui, A. Yoshigoe, H. Ohkuma, Y. Miyahara, T. Ishikawa and H. Kitamura . 239

Visualization and on line monitoring of geometric parameters of beams at KSRS
L. Ioudin, A. Artemev, K. Potlovsky and V. Rezvov 244

Refractive lenses as a beam diagnostics tool for high-energy synchrotron radiation
T. Weitkamp, O. Chubar, M. Drakopoulos, A. Souvorov, I. Snigireva, A. Snigirev, F. Günzler, C. Schroer and B. Lengeler 248

Blade-type X-ray beam position monitors for SPring-8 undulator beamlines
H. Aoyagi, T. Kudo and H. Kitamura 252

A beam position monitor and slit combination for synchrotron radiation
Y. Xie, T.D. Hu, T. Liu and D.C. Xian 256

Section III. Optical Components

Design, manufacturing and testing of gratings for synchrotron radiation
B. Nelles, K.F. Heidemann and B. Kleemann 260

Future metrology needs for synchrotron radiation grazing-incidence optics
L. Assoufid, O. Hignette, M. Howells, S. Irick, H. Lammert and P. Takacs. 267

R&D on third generation multi-segmented piezoelectric bimorph mirror substrates at Spring-8
R. Signorato and T. Ishikawa 271

Reflectivity studies on a synchrotron radiation mirror in the hard X-ray regime
P. Keil, D. Lützenkirchen-Hecht, D.V. Novikov, U. Hahn and R. Frahm. 275

An advanced KB mirror pair for microfocusing
J.-J. Fermé. 279

K–B microfocusing system using monolithic flexure-hinge mirrors for synchrotron X-rays
S.-J. Chen, S.Y. Perng, P.-C. Tseng, C.K. Kuan, D.J. Wang and C.T. Chen 283

Microfocusing of soft X-ray undulator light using an elliptically bent cylinder mirror
S. Miura, N. Kihara, K. Mashima, A. Miyaji, E. Ishiguro, H. Ohashi, Y. Tamenori, H. Okumura, T. Kanashima and T. Ishikawa 287

Pneumatically bent mirrors: an additional degree of freedom for beam conditioning in high-resolution powder diffraction
M. Knapp, H. Ehrenberg, H. Fuess, U. Hahn, M. Hesse, H. Schulte-Schrepping and T. Wroblewski 291

Design and fabrication of aspherical bimorph PZT optics
T.C. Tseng, S.-J. Chen, Z.C. Yeh, S.Y. Perng, D.J. Wang, C.K. Kuan, J.R. Chen and C.T. Chen. 294

Design and fabrication of an active polynomial grating for soft-X-ray monochromators and spectrometers
S.-J. Chen, C.T. Chen, S.Y. Perng, C.K. Kuan, T.C. Tseng and D.J. Wang 298

At wavelength focusing properties evaluation of the Wolter type grazing incidence mirror
A. Takeuchi, Y. Suzuki, K. Uesugi and S. Aoki 302

The thermal focusing mirror of the ESRF Troika beam line: principle, design and first results
M. Mattenet, D. Abernathy, F. Zontone, C. Detlefs, G. Grübel, M. Facchini and P. Jacquot 305

Holographically recorded ion-etched varied line spacing grating for a monochromator at the Photon Factory BL19B
M. Fujisawa, A. Fukushima and S. Shin 309

Quasi-periodic grating for a monochromator at the Photon Factory BL19B
M. Fujisawa, K. Harada, A. Fukushima, S. Shin, Y. Kamiya, T. Tanaka and T. Kita 313

Theoretical and measured performance of diffraction gratings
M.A. Bowler, P. Finetti, D.M.P. Holland, I. Humphrey, F.M. Quinn and M.D. Roper 317

A visual program to calculate efficiency and polarization behavior of diffraction gratings
J.-Y. Kim and S.-J. Oh 321

Cleaning of contaminated XUV-optics at BESSY II
F. Eggenstein, F. Senf, T. Zeschke and W. Gudat 325

Development of a surface profiler for optical elements
T. Kinoshita, K. Fukui, S. Asaka, H. Yoshida, M. Watanabe, T. Horigome, M. Peijun, K. Ohtsuka, M. Iwanaga and E. Ohshima 329

High-reflection multilayer for wavelength range of 200–30 nm
Y. Kondo, T. Ejima, K. Saito, T. Hatano and M. Watanabe 333

Soft X-ray reflectivity and structure evaluation of CoCr/C multilayer X-ray mirrors for spectral region around 6 nm
H. Takenaka, K. Nagai, H. Ito, Y. Muramatsu, T. Kawamura, E. Gullikson and R.C.C. Perera 337

Soft X-ray reflectivity and structure evaluation of Ni/C/Ti/C multilayer X-ray mirrors for water-window region
H. Takenaka, H. Ito, K. Nagai, Y. Muramatsu, E. Gullikson and R.C.C. Perera 341

Sputtered V/Al_2O_3 multilayer X-ray mirrors for the water window
A. Nefedov, H. Zabel and F. Schäfers 345

Cr/Sc nanolayers for the water window: improved performance
F. Schäfers, M. Mertin, D. Abramsohn, A. Gaupp, H.-Ch. Mertins and N.N. Salashchenko 349

Polarizing mirrors for soft X-ray radiation
H. Grimmer, O. Zaharko, H.-C. Mertins and F. Schäfers 354

Graded SiGe crystals as X-ray collimators
P. Petrashen and A. Erko 358

Study of strain and composition of the self-organized GE dots by grazing incident X-ray diffraction
X. Jiang X, Z. Jiang, W. Jiang, Q. Jia, W. Zheng, D. Xian and X. Wang 362

Crystal-based diffraction focusing elements for third-generation synchrotron radiation sources
A. Firsov, A. Svintsov, A. Erko, W. Gudat, A. Asryan, M. Ferstl, S. Shapoval and V. Aristov 366

High energy synchrotron X-ray focusing by fixed exit bender
Y. Yoneda, N. Matsumoto, Y. Furukawa and T. Ishikawa 370

Optimization of dynamically bent crystals for X-ray focusing monochromators
A. Artemev, N. Artemiev, E. Busetto, J. Hrdý, D. Mrázek and A. Savoia 373

Design, construction and tests of a crystal bender which provides constant position of the central part of the crystal
A. Artemev, N. Artemiev, E. Busetto, F. Franc, J. Hrdý, D. Mrażek and A. Savoia 377

Thermal and structural finite element analysis of water cooled silicon monochromator for synchrotron radiation: comparison of two different cooling schemes
A. Artemev, N. Artemiev, E. Busetto, J. Hrdý, D. Mrazek, I. Plešek and A. Savoia 380

Recent developments of high quality synthetic diamond single crystals for synchrotron X-ray monochromators
A.K. Freund, J. Hoszowska, J.P.F. Sellschop, R.C. Burns and M. Rebak 384

A compact double crystal monochromator for electrochemistry beamline at PLS
S. Rah, S.N. Kim and G.H. Kim 388

Diamond double-crystal monochromator in Bragg geometry installed on BL-11XU at SPring-8
M. Marushita, T. Mitsui, T. Fukuda, M. Takahasi, T. Inami, Y. Katayama, H. Shiwaku and J. Mizuki . . 392

Properties of a detuned non-dispersive double crystal monochromator
H. Schulte-Schrepping and W. Drube 396

Liquid nitrogen cooled X-ray monochromator for high total power loads
M. Rowen, J.W. Peck and T. Rabedeau 400

Improvements on water-cooled and doubly bent crystal monochromator for Compton scattering experiments
H. Kawata, M. Sato and Y. Higashi 404

Performance of synchrotron X-ray monochromators under heat load Part 1: finite element modeling
L. Zhang, J. Hoszowska, J.-S. Migliore, V. Mocella, C. Ferrero and A.K. Freund 409

Performances of synchrotron X-ray monochromators under heat load. Part 2. Application of the Takagi–Taupin diffraction theory
V. Mocella, C. Ferrero, A.K. Freund, J. Hoszowska, L. Zhang and Y. Epelboin 414

Section IV. Beamlines

The versatility of collimated plane grating monochromators
R. Follath 418

Infrared synchrotron radiation: from the production to the spectroscopic and microscopic applications
P. Roy, J.-B. Brubach, P. Calvani, G. deMarzi, A. Filabozzi, A. Gerschel, P. Giura, S. Lupi, O. Marcouillé, A. Mermet, A. Nucara, J. Orphal, A. Paolone and M. Vervloet 426

Front end and optics of infrared beamline at SPring-8
S. Kimura, H. Kimura, T. Takahashi, K. Fukui, Y. Kondo, Y. Yoshimatsu, T. Moriwaki, T. Nanba and T. Ishikawa 437

Infrared beamline BL43IR at SPring-8: design and commissioning
H. Kimura, T. Moriwaki, S. Takahashi, H. Aoyagi, T. Matsushita, Y. Ishizawa, M. Masaki, S. Oishi, H. Ohkuma, T. Namba, M. Sakurai, S. Kimura, H. Okamura, H. Nakagawa, T. Takahashi, K. Fukui, K. Shinoda, Y. Kondoh, T. Sata, M. Okuno, M. Matsunami, R. Koyanagi, Y. Yoshimatsu and T. Ishikawa . 441

Performance of an elliptically polarized undulator beamline
S.-C. Chung, J. Chen, L.-R. Huang, R.T. Wu, C.-C. Chen, N.-F. Cheng, J.M. Chuang, P.-C. Tseng, D.J. Huang, C.F. Chang, S.-Y. Perng, C.T. Chen and K.-L. Tsang 445

The elliptically polarized undulator beamlines at BESSY II
M.R. Weiss, R. Follath, K.J.S. Sawhney, F. Senf, J. Bahrdt, W. Frentrup, A. Gaupp, S. Sasaki, M. Scheer, H.-C. Mertins, D. Abramsohn, F. Schäfers, W. Kuch and W. Mahler 449

Complete characterization of SU5: a VUV high resolution beamline with variable polarizations
L. Nahon, F. Polack, B. Lagarde, R. Thissen, C. Alcaraz, O. Dutuit and K. Ito 453

Adaption of the BESSY I-3m normal incidence monochromators to the BESSY II source
G. Reichardt, T. Noll, I. Packe, P. Rotter, J.-S. Schmidt and W. Gudat 458

A 10 m-normal incidence monochromator at the quasi-periodic undulator U125-2 at BESSY II
G. Reichardt, J. Bahrdt, J.-S. Schmidt, W. Gudat, A. Ehresmann, R. Müller-Albrecht, H. Molter, H. Schmoranzer, M. Martins, N. Schwentner and S. Sasaki 462

PGM beamline with constant energy resolution mode for U49-2 undulator at BESSY-II
K.J.S. Sawhney, F. Senf and W. Gudat 466

Commissioning Results of the BTUC-PGM beamline
D.R. Batchelor, R. Follath and D. Schmeißer 470

Performance of the first undulator beamline U49-1-SGM at BESSY II
F. Senf, F. Eggenstein, U. Flechsig, R. Follath, S. Hartlaub, H. Lammert, T. Noll, J.S. Schmidt, G. Reichardt, O. Schwarzkopf, M. Weiss, T. Zeschke and W. Gudat. 474

Extended SX-700 type monochromator combining normal and grazing incidence optics for a new undulator beamline at SLS
U. Flechsig, L. Patthey and C. Quitmann 479

Absolute energy calibration for plane grating monochromators
M.R. Weiss, R. Follath, K.J.S. Sawhney and T. Zeschke 482

First results of the soft X-ray microfocus beamline U41-PGM
Ch. Jung, F. Eggenstein, S. Hartlaub, R. Follath, J.S. Schmidt, F. Senf, M.R. Weiss, Th. Zeschke and W. Gudat 485

Engineering aspects for the conception of the BESSY II beamlines
H. Lammert, F. Senf, F. Eggenstein, U. Flechsig, R. Follath, S. Hartlaub, T. Noll, G. Reichardt, J.S. Schmidt, M. Weiss, T. Zeschke, W.B. Peatman and W. Gudat 488

Instrumentation for a new undulator at SRC
J. Bisognano, M. Severson, M.A. Green, G. Rogers, M. Fisher, T. Kubala and M. Bissen 492

Design of an ultra-high resolution and high flux cylindrical grating monochromator undulator beamline
Y.F. Song, P.-C. Tseng, L.-R. Huang, S.-C. Chung, T.-E. Dann, C.T. Chen and K.-L. Tsang 496

Design of the undulator beamline (BL-7) at New SUBARU
K. Kanda, Y. Haruyama, M. Fujisawa and S. Matsui 500

Linear undulator beamline at a compact storage ring (HiSOR)
K. Shimada, M. Arita, T. Matsui, K. Goto, S. Qiao, K. Yoshida, M. Taniguchi, H. Namatame, T. Sekitani, K. Tanaka, H. Yoshida, K. Shirasawa, N. Smolyakov and A. Hiraya. 504

The commissioning results of the first undulator beamline at the Pohang Light Source
M.-K. Lee and H.J. Shin 508

Current status of the undulator beamline BL-2C at Photon Factory
M. Watanabe, A. Toyoshima, J. Adachi and A. Yagishita 512

Recent performance and developments on the Daresbury SRS soft X-ray undulator beamline
M.D. Roper and J.A. Purton 516

Beamline I311 at MAX-LAB: a VUV/soft X-ray undulator beamline for high resolution electron spectroscopy
R. Nyholm, J.N. Andersen, U. Johansson, B.N. Jensen and I. Lindau 520

A variable-included-angle plane-grating-monochromator on an undulator for spectroscopy and microscopy at the Advanced Light Source
T. Warwick, D. Cambie, H.A. Padmore and M.R. Howells 525

Outline of soft X-ray photochemistry beamline BL27SU of SPring-8
H. Ohashi, E. Ishiguro, Y. Tamenori, H. Kishimoto, M. Tanaka, M. Irie, T. Tanaka and T. Ishikawa . . . 529

Monochromator for a soft X-ray photochemistry beamline BL27SU of SPring-8
H. Ohashi, E. Ishiguro, Y. Tamenori, H. Okumura, A. Hiraya, H. Yoshida, Y. Senba, K. Okada, N. Saito, I.H. Suzuki, K. Ueda, T. Ibuki, S. Nagaoka, I. Koyano and T. Ishikawa 533

3 m off-plane Eagle monochromator at the helical undulator beamline of HiSOR
T. Matsui, H. Sato, K. Shimada, M. Arita, S. Senba, H. Yoshida, K. Shirasawa, M. Morita, A. Hiraya, H. Namatame and M. Taniguchi 537

The elliptical undulator UE46 and its monochromator beam-line for structural research on nanomagnets at BESSY-II
U. Englisch, H. Rossner, H. Maletta, J. Bahrdt, S. Sasaki, F. Senf, K.J.S. Sawhney and W. Gudat. 541

PLS EPU6 beamline for magnetic spectroscopy with circularly polarized soft X-ray
I.-G. Baek, J.-Y. Kim and S.-J. Oh 545

First commissioning results for the elliptically polarizing undulator beamline at the Advanced Light Source
A.T. Young, J. Feng, E. Arenholz, H.A. Padmore, T. Henderson, S. Marks, E. Hoyer, R. Schlueter, J.B. Kortright, V. Martynov, C. Steier and G. Portmann 549

Soft X-ray beamline for spectroscopy of solids at SPring-8
Y. Saitoh, H. Kimura, Y. Suzuki, T. Nakatani, T. Matsushita, T. Muro, T. Miyahara, M. Fujisawa, K. Soda, S. Ueda, A. Sekiyama, S. Imada and S. Suga 553

Micro-spot high resolution beamline of PLS: outside order SGM with moving entrance slit
J.-Y. Kim, I.-G. Baek and S.-J. Oh 557

Mechanical design aspects of a soft X-ray plane grating monochromator
Radovan. Vašina, V. Kolařík, P. Doležel, M. Mynář, M. Vondráček, V. Cháb, J. Slezák, C. Comicioli and K.C. Prince 561

Optimization of the optical design of the Russian–German soft-X-ray beamline at BESSY II
S.A. Gorovikov, R. Follath, S.L. Molodtsov and G. Kaindl 565

Performance of a novel VUV bending magnet beamline
Y.F. Song, C.-I. Ma, T.-F. Hsieh, L.-R. Huang, S.-C. Chung, N.-F. Cheng, G.Y. Hsiung, D.-J. Wang, C.T. Chen and K.-L. Tsang 569

Performance of the high-resolution high-flux monochromator for bending magnet beamline BL-1C at the Photon Factory
K. Ono, J. Ho Oh, K. Horiba, M. Mizuguchi, M. Oshima, T. Kiyokura, F. Maeda, Y. Watanabe, A. Kakizaki, T. Kikuchi, A. Yagishita and H. Kato 573

Performance of the 18 m-spherical grating monochromator newly developed in the UVSOR facility
M. Ono, H. Yoshida, H. Hattori and K. Mitsuke 577

PLS photoemission electron microscopy beamline
T.-H. Kang, K.-j. Kim, C.C. Hwang, S. Rah, C.Y. Park and B. Kim 581

Current status of the wide-range (10–1500 eV) spherical grating monochromator beamline at SRRC
L.J. Lai, P.C. Tseng, Y.W. Yang, S.C. Chung, Y.F. Song, N.F. Cheng, C.C. Chen, C.T. Chen and K.L. Tsang 586

Simple design of varied-line-spacing plane grating monochromator for compact storage ring (HiSOR)
H. Yoshida, Y. Senba, T. Tokushima, Y. Mishima and A. Hiraya 589

Comparison of varied-line-spacing plane grating and varied-line-spacing spherical grating monochromators for the Siam Photon Source
P. Songsiriritthigul, P. Sombunchoo, B.N. Raja Sekhar, W. Pairsuwan, T. Ishii and A. Kakizaki 593

Optimization of a variable-angle spherical grating monochromator
X.J. Yu, Q.P. Wang, L.J. Lu, H.B. Pan, F.Q. Xu and P.S. Xu. 597

Performance of IR-VUV normal incidence monochromator beamline at UVSOR
K. Fukui, H. Miura, H. Nakagawa, I. Shimoyama, K. Nakagawa, H. Okamura, T. Nanba, M. Hasumoto and T. Kinoshita 601

The two normal-incidence monochromator beam lines of PTB at BESSY II
M. Richter, J. Hollandt, U. Kroth, W. Paustian, H. Rabus, R. Thornagel and G. Ulm 605

A low energy monochromator beamline at ELETTRA: conceptual design and scientific aims
R. Cimino and F. Lama 609

Photophysics beamline at Indus-1
P. Meenakshi Raja Rao, N.C. Das, B.N. Raja Sekhar, S. Padmanabhan, A. Shastri, S.S. Bhattacharya and A.P. Roy 613

Source and optics considerations for new generation high-resolution inelastic X-ray spectrometers
E. Ercan Alp, H. Sinn, A. Alatas, W. Sturhahn, T. Toellner, J. Zhao, J. Sutter, M. Hu, D. Shu and Y. Shvydko 617

A crystal monochromator based on graded SiGe crystals
A. Erko, I. Packe, W. Gudat, N. Abrosimov and A. Firsov 623

Early commissioning of the SPring-8 beamline for high resolution inelastic X-ray scattering
A.Q.R. Baron, Y. Tanaka, D. Miwa, D. Ishikawa, T. Mochizuki, K. Takeshita, S. Goto, T. Matsushita, H. Kimura, F. Yamamoto and T. Ishikawa. 627

Performance of synchrotron X-ray monochromators under heat load Part 3: Comparison between theory and experiment
J. Hoszowska, V. Mocella, L. Zhang, J.-S. Migliore, A.K. Freund and C. Ferrero 631

The design of the material science beamline, I811, at MAX-II
T.M. Grehk and P.O. Nilsson 635

X-ray beamlines at the superconducting wiggler of NSRL
C. Xu, G. Pan, F. Xu, S. Wei, Y. Tian, D. Zhao and F. Wang 639

SPring-8 standard X-ray monochromator: alignment of rotated-inclined geometry
H. Yamazaki, M. Yabashi, K. Tamasaku, Y. Yoneda, S. Goto, T. Mochizuki and T. Ishikawa 643

Cryogenic cooling monochromators for the SPring-8 undualtor beamlines
T. Mochizuki, Y. Kohmura, A. Awaji, Y. Suzuki, A. Baron, K. Tamasaku, M. Yabashi, H. Yamazaki and T. Ishikawa 647

A double crystal monochromator using tangentially bent crystals in combination with toroidal mirror focusing
H.A. Padmore, A.C. Thompson and F. Jun 650

A water-cooled X-ray monochromator for using off-axis undulator beam
A. Khounsary and J. Maser 654

Source size conserving broad band monochromators of fixed exit geometry for high energy synchrotron radiation
U. Lienert, S. Keitel, W. Caliebe, C. Schulze-Briese and H.F. Poulsen 659

High-energy X-ray diffraction beamline: BL04B2 at SPring-8
M. Isshiki, Y. Ohishi, S. Goto, K. Takeshita and T. Ishikawa 663

Optical design of BL02B2 bending magnet beamline at the SPring-8 for powder diffraction
M. Yamakata, S. Goto, T. Uruga, K. Takeshita and T. Ishikawa. 667

Hyogo beamline at SPring-8: multiple station beamline with the TROIKA concept
Y. Tsusaka, K. Yokoyama, S. Takeda, K. Takai, Y. Kagoshima and J. Matsui. 670

Present status of high flux beamline (BL40XU) at SPring-8
K. Inoue, T. Oka, T. Suzuki, N. Yagi, K. Takeshita, S. Goto and T. Ishikawa 674

Design of a beamline for the SPring-8 long undulator source 1
M. Yabashi, T. Mochizuki, H. Yamazaki, S. Goto, H. Ohashi, K. Takeshita, T. Ohata, T. Matsushita, K. Tamasaku, Y. Tanaka and T. Ishikawa 678

Construction and commissioning of a 215-m-long beamline at SPring-8
S. Goto, K. Takeshita, Y. Suzuki, H. Ohashi, Y. Asano, H. Kimura, T. Matsushita, N. Yagi, M. Isshiki, H. Yamazaki, Y. Yoneda, K. Umetani and T. Ishikawa 682

SPring-8 RIKEN beamline III for coherent X-ray optics
K. Tamasaku, Y. Tanaka, M. Yabashi, H. Yamazaki, N. Kawamura, M. Suzuki and T. Ishikawa 686

Basic Energy Sciences Synchrotron Radiation Center Undulator Sector at the Advanced Photon Source
M.A. Beno, G. Jennings, M. Engbretson, G.S. Knapp, C. Kurtz, B. Zabransky, J. Linton, S. Seifert, C. Wiley and P.A. Montano 690

Elliptical multipole wiggler beamlines at the advanced photon source
M.A. Beno, C. Kurtz, A. Munkholm, U. Rütt, M. Engbretson, G. Jennings, J. Linton, G.S. Knapp and P.A. Montano 694

BESSRC-CAT bending magnet beamline at the advanced photon source
M.A. Beno, M. Engbretson, G. Jennings, G.S. Knapp, J. Linton, C. Kurtz, U. Rütt and P.A. Montano . . 699

BAMline: the first hard X-ray beamline at BESSY II
W. Görner, M.P. Hentschel, B.R. Müller, H. Riesemeier, M. Krumrey, G. Ulm, W. Diete, U. Klein and R. Frahm 703

Hard X-ray beamline of 7.5 T superconducting wiggler at Pohang Light Source
Y.U. Sohn, J.-Y. Choi, S.N. Kim, K.R. Kim, J.S. Bak and Y.M. Koo 707

The RIKEN structural biology beamline II (BL44B2) at the SPring-8
S. Adachi, T. Oguchi, H. Tanida, S.-Y. Park, H. Shimizu, H. Miyatake, N. Kamiya, Y. Shiro, Y. Inoue, T. Ueki and T. Iizuka 711

Nuclear resonant scattering beamline at SPring-8
Y. Yoda, M. Yabashi, K. Izumi, X.W. Zhang, S. Kishimoto, S. Kitao, M. Seto, T. Mitsui, T. Harami, Y. Imai and S. Kikuta 715

Design of the Taiwan contract bending-magnet beamline at SPring-8
M.-T. Tang, T.-E. Dann, C.-C. Chen, K.-L. Tsang, C.T. Chen and K.S. Liang 719

Design and performance of a soft X-ray double crystal monochromator at HSRC
S. Yagi, G. Kutluk, T. Matsui, A. Matano, A. Hiraya, E. Hashimoto and M. Taniguchi 723

Instrument developments for magnetic and high-resolution diffraction at the *XMaS* beamline
S.D. Brown, P. Thompson, M.J. Cooper, J. Kervin, D.F. Paul, W.G. Stirling and A. Stunault 727

Performance of a beamline with a pair of bent conical mirrors
M. Nomura and A. Koyama 733

Optics for the X-ray fluorescence beamline at HASYLAB
G. Falkenberg, O. Clauß, A. Swiderski and Th. Tschentscher 737

Beam line BL11 for LIGA process at the NewSUBARU
H. Mekaru, Y. Utsumi and T. Hattori 741

H10: A materials and high temperature beamline at LURE/DCI
M. Gailhanou, J.M. Dubuisson, M. Ribbens, L. Roussier, D. Bétaille, C. Créoff, M. Lemonnier, J. Denoyer, C. Bouillot, A. Jucha, A. Lena, M. Idir, M. Bessière, D. Thiaudière, L. Hennet, C. Landron and J.P. Coutures 745

Monochromator development at 4W1B beamline of BSRF
Y. Xie, Y. Yan, T.D. Hu, T. Liu and D.C. Xian 748

A photon shutter for insertion device front ends at the SLS
Q. Chen, R. Abela, H. Auderset, B. Frauenfelder, M. Janousch, H. Kalt, M. Lange, B.D. Patterson and M. Shi 752

Design of the front end for the very long in-vacuum X-ray undulator at SPring-8
S. Takahashi, H. Aoyagi, T. Mochizuki, M. Oura, Y. Sakurai, A. Watanabe and H. Kitamura 758

General design of the layout for new undulator-only beamline front ends
D. Shu, M. Ramanathan and T.M. Kuzay 762

Development and applications of rectangular box-type explosively bonded structures for high-heat-load beamline components
D. Shu, J. Chang, T.M. Kuzay and D.G. Brasher 767

Modular overconstrained weak-link mechanism for ultraprecision motion control
D. Shu, T.S. Toellner and E.E. Alp 771

Six-strut arrangements for cartesian movements of mirrors
T. Noll, Th. Zeschke, G. Reichardt, H. Lammert and W. Gudat 775

Design of a 6 DOF HFM manipulator using an external spherical joint
K.H. Gil, C.G. Kim, J.S. Bak, H.S. Youn and Y.M. Koo 778

Standard X-ray mirror systems for SPring-8 beamlines
T. Uruga, H. Tanida, Y. Yoneda, K. Takeshita, S. Goto and T. Ishikawa 782

The collimating mirror system of the protein crystallography beamline 6B at PLS
K.R. Kim, H.Y. Kim, C.G. Kim, H.S. Han and J.S. Bak 785

Various monitors in a soft X-ray monochromator of BL27SU of SPring-8
Y. Tamenori, H. Ohashi, E. Ishiguro, H. Okumura, T. Fukui, T. Miura, H. Kishimoto, J. Tanase, N. Kamachi, K. Endo and T. Ishikawa. 789

A differential pumping system for the gas filter of the high flux beamline at SRRC
J.C. Lee, T.S. Ueng, J.R. Chen, Y.J. Hsu, G.Y. Hsiung, T.F. Lin, S.H. Chang, S.N. Hsu and D.J. Wang . 793

Automatic alignment of the HASYLAB BW2 beamline
W. Drube, H. Schulte-Schrepping and R. Treusch. 797

Vacuum system of X-ray beamlines of SPring-8
H. Ohashi, S. Goto, H. Kishimoto, T. Murase, M. Isshiki, Y. Suzuki, H. Kimura, K. Takeshita and T. Ishikawa 801

The residual gas analyzer system for the HASYLAB beamline vacuum system
U. Hahn, M. Hesse, Th. Kracht, E.W. Weiner, K. Porges and U. Miße 805

Residual gas analysis of instrumentation wire for a synchrotron radiation beamline
J.G. Kulpin 809

Transport channels of X-ray beamlines at SPring-8
S. Goto, H. Ohashi, K. Takeshita, M. Yabashi, M. Yamakata, Y. Asano and T. Ishikawa. 813

Beamline interlock system and rfBPM interlock system in SPring-8
T. Matsushita, T. Nakatani, Y. Ishizawa, T. Ohata, Y. Furukawa, M. Takeuchi, M. Ishii, H. Kimura, S. Goto, K. Takeshita, T. Kudo, T. Takagi and T. Ishikawa 816

SPring-8 beamline control system
T. Ohata, T. Nakatani, Y. Furukawa, K. Tamasaku, M. Ishii, T. Matsushita, M. Takeuchi, R. Tanaka and T. Ishikawa 820

Secure network for beamline control
T. Ohata, T. Fukui, M. Ishii, Y. Furukawa, T. Nakatani, T. Matsushita, M. Takeuchi, R. Tanaka and T. Ishikawa 825

Construction of beamline radiation shielding hutch at the SPring-8
K. Takeshita, S. Goto, M. Yabashi, M. Yamakata, H. Ohashi and T. Ishikawa 829

High-order harmonic suppression by a glass capillary array
A. Erko, N. Langhoff, A.A. Bjeoumikhov and V.I. Beloglasov 832

PART II

Section V. Microscopy

X-ray fluorescence microtomography with a Wolter mirror system
N. Watanabe, K. Yamamoto, H. Takano, T. Ohigashi, H. Yokosuka, T. Aota and S. Aoki 837

Soft X-ray microscopy to 25 nm with applications to biology and magnetic materials
G. Denbeaux, E. Anderson, W. Chao, T. Eimüller, L. Johnson, M. Köhler, C. Larabell, M. Legros, P. Fischer, A. Pearson, G. Schütz, D. Yager and D. Attwood 841

X-ray imaging microscopy at 25 keV with Fresnel zone plate optics
M. Awaji, Y. Suzuki, A. Takeuchi, H. Takano, N. Kamijo, S. Tamura and M. Yasumoto 845

Instrumentation advances with the new X-ray microscopes at BESSY II
P. Guttmann, B. Niemann, J. Thieme, D. Hambach, G. Schneider, U. Wiesemann, D. Rudolph and G. Schmahl 849

Development of high spatial resolution X-ray CT system at BL47XU in SPring-8
K. Uesugi, Y. Suzuki, N. Yagi, A. Tsuchiyama and T. Nakano 853

A rotating condenser and off-axis zone plate monochromator for the TXM at the undulator U41 at BESSY II
B. Niemann, P. Guttmann, D. Hambach, G. Schneider, D. Weiß and G. Schmahl 857

Construction of a scanning transmission X-ray microscope at the undulator U-41 at BESSY II
U. Wiesemann, J. Thieme, R. Früke, P. Guttmann, B. Niemann, D. Rudolph and G. Schmahl 861

Toward a practical X-ray Fourier holography at high resolution
M.R. Howells, C.J. Jacobsen, S. Marchesini, S. Miller, J.C.H. Spence and U. Weirstall 864

Characterization of the sputtered-sliced zone plate for high energy X-rays
N. Kamijo, Y. Suzuki, M. Awaji, A. Takeuchi, K. Uesugi, M. Yasumoto, S. Tamura, Y. Kohmura, A. Duevel, D. Rudolph and G. Schmahl 868

Scanning hard X-ray microscope with tantalum phase zone plate at the Hyogo-BL (BL24XU) of SPring-8
Y. Kagoshima, K. Takai, T. Ibuki, Y. Yokoyama, T. Hashida, K. Yokoyama, S. Takeda, M. Urakawa, N. Miyamoto, Y. Tsusaka, J. Matsui and M. Aino 872

Nanostructured diffractive optical devices for soft X-ray microscopes
D. Hambach, M. Peuker and G. Schneider 877

High spatial resolution hard X-ray microscope using X-ray refractive lens and phase contrast imaging experiments
Y. Kohmura, K. Okada, A. Takeuchi, H. Takano, Y. Suzuki, T. Ishikawa, T. Ohigashi and H. Yokosuka 881

Spectromicroscopy of interfaces with synchrotron radiation: multichannel data acquisition
L. Gregoratti, M. Marsi, G. Cautero, M. Kiskinova, G.R. Morrison and A.W. Potts. 884

X-ray microtome by fluorescence tomography
A. Simionovici, M. Chukalina, F. Günzler, Ch. Schroer, A. Snigirev, I. Snigireva, J. Tümmler and T. Weitkamp 889

Infrared spectromicroscopy and magneto-optical imaging stations at SPring-8
S. Kimura, T. Nanba, T. Sada, M. Okuno, M. Matsunami, K. Shinoda, H. Kimura, T. Moriwaki, M. Yamagata, Y. Kondo, Y. Yoshimatsu, T. Takahashi, K. Fukui, T. Kawamoto and T. Ishikawa 893

Synchrotron X-ray microprobe analysis of radioactive trace elements in mineral sands
R.F. Garrett, N. Blagojevic, Z. Cai, B. Lai, D.G. Legnini, W. Rodrigues and A.P.J. Stampfl 897

Development of a compact beam intensity monitor for micro X-ray absorption fine structure measurements
S. Hayakawa, M. Suzuki, M. Oshima and T. Hirokawa 901

Performance of the SRRC scanning photoelectron microscope
I.-H. Hong, T.-H. Lee, G.-C. Yin, D.-H. Wei, J.-M. Juang, T.-E. Dann, R. Klauser, T.J. Chuang, C.T. Chen and K.-L. Tsang. 905

Scanning soft X-ray spectromicroscopy at the Pohang Light Source: commissioning results
H.-J. Shin and M.K. Lee 909

Spatial coherence properties of undulator radiation based on Thompson–Wolf two-pinhole measurement
C. Chang, P. Naulleau, E. Anderson and D. Attwood. 913

Wide-area phase-contrast X-ray imaging using large X-ray interferometers
A. Momose, T. Takeda, A. Yoneyama, I. Koyama and Y. Itai 917

Interferometric measurement of the beam size in the compact storage ring
Y. Yamamoto, I. Sakai, T. Mitsuhashi, D. Amano and H. Iwasaki 921

Interferometric techniques for characterization of coherence of high-energy synchrotron X-rays
I. Snigireva, V. Kohn and A. Snigirev 925

Recent developments in hard X-ray tomography
C. Rau, T. Weitkamp, A. Snigirev, C.G. Schroer, J. Tümmler and B. Lengeler 929

Phase corrections for synchrotron radiation
O. Chubar, P. Elleaume and A. Snigirev. 932

Section VI. Diffraction and Scattering

Submicron X-ray diffraction
A.A. MacDowell, R.S. Celestre, N. Tamura, R. Spolenak, B. Valek, W.L. Brown, J.C. Bravman, H.A. Padmore, B.W. Batterman and J.R. Patel. 936

Parabolic refractive X-ray lenses: a breakthrough in X-ray optics
B. Lengeler, C.G. Schroer, B. Benner, T.F. Günzler, M. Kuhlmann, J. Tümmler, A.S. Simionovici, M. Drakopoulos, A. Snigirev and I. Snigireva 944

X-ray microbeam with sputtered-sliced Fresnel zone plate at SPring-8 undulator beamline
Y. Suzuki, M. Awaji, Y. Kohmura, A. Takeuchi, H. Takano, N. Kamijo, S. Tamura, M. Yasumoto and K. Handa. 951

High-efficiency tunable X-ray focusing optics using mirrors and laterally-graded multilayers
E. Ziegler, O. Hignette, Ch. Morawe and R. Tucoulou 954

Combined scanning microdiffraction and micro small-angle scattering at the microfocus beamline ID13 (ESRF)
M. Müller, M. Burghammer and C. Riekel. 958

Refractive X-ray lens for high pressure experiments at SPring-8
Y. Ohishi, A.Q.R. Baron, M. Ishii, T. Ishikawa and O. Shimomura 962

Hard X-ray full field microscopy and magnifying microtomography using compound refractive lenses
C.G. Schroer, T.F. Günzler, B. Benner, M. Kuhlmann, J. Tümmler, B. Lengeler, C. Rau, T. Weitkamp, A. Snigirev and I. Snigireva 966

X-ray tests of microfocusing mono-capillary optic for protein crystallography
D.H. Bilderback and R. Huang. 970

Rocking curve measurements of infrared LEDs using highly parallel X-ray microbeam
S. Takeda, K. Yokoyama, M. Urakawa, T. Ibuki, K. Takai, Y. Tsusaka, Y. Kagoshima, J. Matsui and N. Miyamoto 974

Simulation of microfocused image size from a one-bounce glass capillary
R. Huang and D.H. Bilderback 978

Holographic X-ray optical elements: transition between refraction and diffraction
I. Snigireva, A. Snigirev, C. Rau, T. Weitkamp, V. Aristov, M. Grigoriev, S. Kuznetsov, L. Shabelnikov, V. Yunkin, M. Hoffmann and E. Voges 982

Ultrafast X-ray diffraction of laser-irradiated crystals
P.A. Heimann, A.M. Lindenberg, I. Kang, S. Johnson, T. Missalla, Z. Chang, R.W. Falcone, R.W. Schoenlein, T.E. Glover and H.A. Padmore 986

Synchrotron radiation instrumentation for "in situ" investigation of explosion with nanosecond time resolution
B.P. Tolochko, A.N. Aleshaev, M.G. Fedotov, G.N. Kulipanov, N.Z. Lyakhov, L.A. Luk'yanchikov, S.I. Mishnev, M.A. Sheromov, K.A. Ten, V.M. Titov and P.I. Zubkov. 990

Realisation of a novel crystal bender for a fast double crystal monochromator
R. Zaeper, M. Richwin, R. Wollmann, D. Lützenkirchen-Hecht and R. Frahm 994

An energy dispersive time resolved liquid surface reflectometer
R.F. Garrett, J.W. White, D.J. King, T.L. Dowling and W. Fullagar 998

Time resolved X-ray micro-diffraction measurements of the dynamic local layer response to electric field in antiferroelectric liquid crystals
Y. Takahashi, A. Iida, Y. Takanishi, T. Ogasawara and H. Takezoe 1001

SAXS and USAXS on the high brilliance beamline at the ESRF
T. Narayanan, O. Diat and P. Bösecke 1005

High resolution X-ray scattering techniques for studying the sliding CDWS distortions, in $NbSe_3$
D. Rideau, P. Monceau, R. Currat, H. Requardt, F. Nad, J.E. Lorenzo, S. Brazovskii, C. Detlefs and G. Grübel. 1010

SRS station 16.3: high-resolution applications
B.M. Murphy, S.P. Collins, M. Golshan, M. Moore, J. Reid and G. Kowalski 1014

Parametric down conversion of X-rays, recent experiments
B. Adams, Y. Nishino, D.V. Novikov, G. Materlik and D.M. Mills 1019

X-ray micro diffraction study on mesostructured silica thin films
T. Noma, K. Takada, H. Miyata and A. Iida 1021

Diffractometer for high energy X-rays at the APS
U. Rütt, M.A. Beno, J. Strempfer, G. Jennings, C. Kurtz and P.A. Montano 1026

A horizontal two-axis diffractometer for high-energy X-ray diffraction using synchrotron radiation on bending magnet beamline BL04B2 at SPring-8
S. Kohara, K. Suzuya, Y. Kashihara, N. Matsumoto, N. Umesaki and I. Sakai 1030

A bromine-based dichroic X-ray polarization analyser
S.P. Collins, D. Laundy, S.D. Brown and P. Thompson 1034

Precision d-spacing measurement of GaAs single crystals with synchrotron radiation
Y. Okada, X. Zhang, H. Sugiyama, Y. Imai, M.O. Rahman, Y. Higashi, K. Nakayama, H. Fujimoto, Y. Yoda and M. Ando 1037

Setup for in situ X-ray diffraction studies of thin film growth by magnetron sputtering
K. Ellmer, R. Mientus, V. Weiß and H. Rossner. 1041

The large Debye–Scherrer camera installed at SPring-8 BL02B2 for charge density studies
E. Nishibori, M. Takata, K. Kato, M. Sakata, Y. Kubota, S. Aoyagi, Y. Kuroiwa, M. Yamakata and N. Ikeda 1045

Diffracted X-ray tracking: new system for single molecular detection with X-rays
Y.C. Sasaki, Y. Okumura, S. Adachi, Y. Suzuki and N. Yagi 1049

Wavelength-Modulated Diffraction System
T. Koganezawa, K. Handa, N. Nakamura, Y. Yoshimura, H. Iwasaki, T. Yamada and T. Shoji 1053

A high-pressure vessel for X-ray diffraction experiments for liquids in a wide temperature range
S. Hosokawa and W.-C. Pilgrim 1057

X-ray magnetic circular dichroism studies of Fe_4N under high-pressure
N. Ishimatsu, Y. Ohishi, M. Suzuki, N. Kawamura, M. Ito, H. Maruyama, S. Nasu, T. Kawakami and O. Shimomura 1061

X-ray diffraction technique in energy-dispersive mode at SPring-8 for fluids at high temperatures and high pressures
K. Tamura, M. Inui, K. Funakoshi and W. Utsumi 1065

An experimental apparatus for EDXD of high pressure specimens using synchrotron radiation at BSRF
J. Liu, R.Z. Che, J. Zhao, Y.H. Jing, Y. Yang and X. Ju 1069

Study of the limitation of energy dispersive reflectivity with synchrotron radiation
C.-H. Lee, K.-L. Yu and H.-C. Lee 1073

The energy-dispersive reflectometer at BESSY II: a challenge for thin film analysis
U. Pietsch, J. Grenzer, Th. Geue, F. Neissendorfer, G. Brezsesinski, Ch. Symietz, H. Möhwald and W. Gudat 1077

An inelastic X-ray scattering spectrometer for materials science on BL11XU at SPring-8
T. Inami, T. Fukuda, J. Mizuki, H. Nakao, T. Matsumura, Y. Murakami, K. Hirota and Y. Endoh 1081

Observation of charge ordering by X-ray anomalous scattering
S. Sasaki, T. Toyoda, Y. Konoike, K. Yamawaki and M. Tanaka 1084

Recent developments and ASAXS measurements at the ultra small angle X-ray scattering instrument of HASYLAB
G.V. Krosigk, S. Cunis, R. Gehrke and R. Kranold 1088

Portable high precision small/wide angle X-ray scattering diffractometer
Yu.A. Gaponov, E.A. Dementyev, D.I. Kochubei and B.P. Tolochko..... 1092

Chamber for in situ WAXS, SAXS and GISAXS studies: application to plasma induced transformations in steels
G. Kellermann, R. Neuenschwander, J. Feugeas and A.F. Craievich..... 1097

An apparatus for measuring soft X-ray magnetic scattering
M.D. Roper, G. van der Laan, H.A. Dürr, E. Dudzik, S.P. Collins, M.C. Miller and S.P. Thompson 1101

The experimental apparatus for synchrotron radiation Mössbauer spectroscopy of BL11 in SPring-8
T. Mitsui, S. Kitao, X.W. Zhang, M. Marushita and M. Seto 1105

Present status of the Cauchois-type Compton Scattering Spectrometer at SPring-8
M. Itou, N. Hiraoka, T. Ohata, M. Mizumaki, A. Deb, Y. Sakurai and N. Sakai 1109

Software development for studies of diffuse scattering using CCD-detectors and synchrotron radiation sources
C. Paulmann, R. Kurtz and U. Bismayer 1113

Section VII. Detectors

A superconducting detector endstation for high-resolution energy-dispersive SR-XRF
S. Friedrich, T. Niedermayr, O. Drury, M.F. Cunningham, M.L. van den Berg, J.N. Ullom, A. Loshak, T. Funk, S.P. Cramer, J.D. Batteux, E. See, M. Frank and S.E. Labov..... 1117

A YAP(Ce) imager operated in high energy X-ray region
M. Suzuki, H. Toyokawa, M. Mizumaki, Y. Ohashi, N. Yagi, H. Kamitsubo, K. Kuroda, A. Gorin, I. Manouilov, A. Riazantsuev, M. Nomachi, M. Yosoi, T. Ishikawa, K. Morimoto and F. Tokanai..... 1121

Observation of hard X-ray pulses with a highly sensitive streak camera
T. Hara, Y. Tanaka, H. Kitamura and T. Ishikawa..... 1125

Proposal for a femtosecond X-ray detector
B. Adams 1129

Development of a one-dimensional microstrip germanium detector for Compton scattering experiment at SPring-8
H. Toyokawa, M. Itou, M. Mizumaki, Y. Sakurai, M. Suzuki, N. Hiraoka and N. Sakai. 1132

A gas microstrip X-ray detector for soft energy fluorescence EXAFS
A.D. Smith, J.E. Bateman, G.E. Derbyshire, D.M. Duxbury, J. Lipp, E.J. Spill and R. Stephenson 1136

A new X-ray detector for magnetic circular dichroism experiments
J.E. Bateman, G.E. Derbyshire, E. Dudzik, G. van der Laan, J.D. Lipp, A.D. Smith and R. Stephenson. . 1140

Performance of a micro-strip gas chamber in solution X-ray scattering
H. Toyokawa, T. Fujisawa, Y. Inoko, T. Nagayoshi, Y. Nishi, Y. Nishikawa, A. Ochi, M. Suzuki and T. Tanimori 1144

Rapid X-ray crystal structure analysis in few second measurements using microstrip gas chamber
A. Ochi, H. Uekusa, T. Tanimori, Y. Ohashi, H. Toyokawa, Y. Nishi, Y. Nishi, T. Nagayoshi and S. Koishi 1148

A data acquisition system for gas proportional detectors with delay line readout based on space–time–space conversion
C. de Raad Iseli, T. Reimann, F. Golding, C. Boulin, A. Epstein, E. Beloeuvre, A. Gabriel, M.H.J. Koch. 1152

The PASERO Project: parallel and serial readout systems for gas proportional synchrotron radiation X-ray detectors
M.H.J. Koch, C. Boulin, F. Briquet-Laugier, A. Epstein, S. Sheldon, E. Beloeuvre, A. Gabriel, C. Hervé, M. Kocsis, A. Koschuch, P. Laggner, W. Leingartner, C. de Raad Iseli, T. Reimann, F. Golding and K. Torki 1156

Development of high-speed Imaging Plate detector
M. Yamamoto, T. Kumasaka, H. Yamazaki, K. Sasaki, Y. Yokozawa and T. Ishikawa. 1160

Spatial characterization of monolithic multi-element Silicon-Drift-Detectors for X-ray spectroscopic applications
P. Kappen, L. Tröger, K. Hansen, Ch. Reckleben, P. Lechner, L. Strüder and G. Materlik 1163

A Compton polarimeter for Parametric X-radiation
J. They, G. Buschhorn, R. Kotthaus and D. Pugachev 1167

A cooled avalanche photodiode detector for X-ray magnetic diffraction experiments
S. Kishimoto, H. Adachi and M. ito 1171

High-accuracy detector calibration at the PTB four-crystal monochromator beamline
M. Krumrey and G. Ulm 1175

Section VIII. Industrial Applications, Microfabrication

Industrial use of synchrotron radiation: a very subjective overview
J. Hormes and H. Modrow 1179

Ultra-deep LIGA process and its applications
Y. Cheng, B.-Y. Shew, M.K. Chyu and P.H. Chen 1192

Recent advances and perspectives in synchrotron radiation TXRF
K. Baur, S. Brennan, D. Werho, L. Moro and P. Pianetta 1198

The progress of SR study on the passivation of semiconductor surface in NSRL
P.S. Xu, F.P. Zhang, E.D. Lu, F.Q. Xu, H.B. Pan and X.Y. Zhang 1202

Study of local strain distribution in semiconductor devices using high-resolution X-ray microbeam diffractometry
K. Yokoyama, S. Takeda, M. Urakawa, Y. Tsusaka, Y. Kagoshima, J. Matsui, S. Kimura, H. Kimura, K. Kobayashi, T. Ohhira, K. Izumi and N. Miyamoto. 1205

Grazing incidence X-ray fluorescence study of the surface leaching behaviour of synroc
R.F. Garrett and N. Blagojevic 1209

Effect of SR irradiation on In_2O_3 film
K. Hanamoto, A. Hirai, M. Sasaki, Y. Kimura, K. Miyatani, C. Kaito and Y. Nakayama. 1213

Carbyne formation by synchrotron radiation
C. Kaito, Y. Kimura, K. Hanamoto, M. Sasaki, S. Kimura, T. Nakada, Y. Saito, C. Koike and Y. Nakayama 1217

Effect of SR irradiation on crystallization of amorphous tin oxide film
Y. Kimura, T. Kobayashi, K. Hanamoto, M. Sasaki, S. Kimura, T. Nakada, Y. Nakayama and C. Kaito 1221

Photoluminescence properties of ZnTe homoepitaxial films deposited by synchrotron-radiation-excited growth
M. Nishio, K. Hayashida, H. Harada, Y. Mitsuishi, Q. Guo and H. Ogawa 1225

Surface sensitive mode XAFS measurement of local structure of ordered Ge nanoclusters (quantum dots) on Si(0 0 1)
S.B. Erenburg, N.V. Bausk, L.N. Mazalov, A.I. Nikiforov, N.P. Stepina and A.V. Nenashev 1229

Surface electronic structure and molecular orientation of poly(9-vinylcarbazole) thin film: ARUPS and NEXAFS
K.K. Okudaira, E. Morikawa, S. Hasegawa, H. Ishii, Y. Azuma, M. Imamura, H. Shimada, K. Seki and N. Ueno. 1233

Oxidation processes for Si(1 1 1)-7 × 7 surfaces analyzed in situ by synchrotron-radiation-induced photoemission and medium energy ion scattering
T. Nishimura, Y. Hoshino, H. Namba and Y. Kido 1237

Development of apparatus for multiple energy X-ray holography at SPring-8
K. Hayashi, M. Miyake, T. Tobioka, Y. Awakura, M. Suzuki and S. Hayakawa. 1241

Dislocation density analysis in single grains of steel by X-ray scanning microdiffraction
O. Castelnau, M. Drakopoulos, C. Schroer, I. Snigireva, A. Snigirev and T. Ungar 1245

High energy X-ray microscopy for characterisation of fuel particles
B. Salbu, T. Krekling, O.C. Lind, D.H. Oughton, M. Drakopoulos, A. Simionovici, I. Snigireva, A. Snigirev, T. Weitkamp, F. Adams, K. Janssens and V.A. Kashparov 1249

The application of white radiation to residual stress analysis in the intermediate zone between surface and volume
Ch. Genzel, C. Stock, B. Wallis and W. Reimers. 1253

Hard X-ray texture measurements with an on-line image plate detector
L. Wcislak, J.R. Schneider, Th. Tschentscher, H. Klein and H.J. Bunge 1257

Upgrading of the PETRA-2 beamline at HASYLAB for materials science analyses
R. Kampmann, T. Lippmann, J. Burmester, J.F. dos Santos, H. Franz, M. Haese-Seiller and M. Marmotti 1261

Heat load problems in deep X-ray lithography
I. Cudin, F. De Bona, A. Gambitta, F. Pérennès and A. Turchet 1265

Deep X-ray lithography for the fabrication of microstructures at ELSA
F.J. Pantenburg and J. Mohr 1269

Deep X-ray lithography beamline at ELETTRA
F. Pérennès, F. De Bona and F.J. Pantenburg 1274

Design and construction of UVSOR-BL4A2 beam line for nano-structure processing
N. Takezoe, H. Yanagida, T. Tanaka, K. Kurosawa, Y. Nonogaki, H. Noda, H. Mekaru and T. Urisu . . 1279

Sub-nm figure error correction of an extreme ultraviolet multilayer mirror by its surface milling
M. Yamamoto 1282

Section XI. Biological and Environmental Sciences, Protein Crystallography

Sources, instrumentation and detectors for protein crystallography
C. Nave. 1286

Collimation-enhanced micro-radiography in real-time
Y. Hwu, W.-L. Tsai, H.-H. Hsieh, J. Ho Je, H.-s. Kang, I.-W. Kim, K.-H. Lee, H.-J. Kim, B. Lai and G. Margaritondo 1294

Study of human bone tumor slice by SRXRF microprobe
Y.Y. Huang, J.X. Lu, R.G. He, L.M. Zhao, Z.G. Wang, W. He and Y.X. Zhang 1301

Shedding light on the past
A.P.J. Stampfl, E.S. Friedman, T.J. Wilkinson, E.E. Alp and K.A. Yener 1305

Tomographic imaging of biological specimens with the cryo transmission X-ray microscope
D. Weiß, G. Schneider, S. Vogt, P. Guttmann, B. Niemann, D. Rudolph and G. Schmahl 1308

Visualizing specific nuclear proteins in eukaryotic cells using soft X-ray microscopy
S. Vogt, M. Jäger, G. Schneider, E. Schulze, H. Saumweber, D. Rudolph and G. Schmahl. 1312

Single fluid inclusion study by SRXRF microprobe
Y.Y. Huang, K.F. Li, W. He, G.C. Li and K.X. Lin. 1315

Iodine imaging in thyroid by fluorescent X-ray CT with 0.05 mm spatial resolution
T. Takeda, Q. Yu, T. Yashiro, T. Zeniya, J. Wu, Y. Hasegawa, Thet-Thet-Lwin, K. Hyodo, T. Yuasa, F.A. Dilmanian, T. Akatsuka and Y. Itai. 1318

Phase-contrast X-ray computed tomography of non-formalin fixed biological objects
T. Takeda, A. Momose, J. Wu, T. Zeniya, Q. Yu, Thet-Thet-Lwin and Y. Itai 1322

Integrated image presentation of transmission and fluorescent X-ray CT using synchrotron radiation
T. Zeniya, T. Takeda, Q. Yu, Y. Hasegawa, K. Hyodo, T. Yuasa, Y. Hiranaka, Y. Itai and T. Akatsuka . 1326

Development of microbeam irradiation system for radiobiology
K. Kobayashi, N. Usami, K. Hieda, K. Takakura, H. Maezawa and T. Hayashi. 1329

EPR spectrometer installed in a soft X-ray beamline at SPring-8 for biophysical studies
A. Yokoya and K. Akamatsu 1333

Biomedical imaging center in SPring-8
C. Uyama, K. Tokumori, F. Toyofuku, T. Takeda and K. Hyodo 1338

A patient positioning system for the ESRF medical imaging facility
Y. Dabin, A. Draperi, H. Elleaume, A.-M. Charvet, T. Brochard, M. Perez, C. Nemoz, G. Blattmann, M. Renier, F. Fournier, J.-L. Dupuy, B. Lemoine, P. Bouhaniche, W. Thomlinson and P. Suortti 1342

Experimental studies of the microangioarchitecture of tumors using synchrotron radiation at SPring-8
T. Yamashita, S. Imai, N. Maehara, Y. Kajihara and K. Umetani 1346

Assessment of the image contrast improvement and dose reduction in mammography with synchrotron radiation compared to standard units
R. Moeckli, F.R. Verdun, S. Fiedler, M. Pachoud, C. Hessler, R. Meuli and J.-F. Valley. 1349

Feasibility of macromolecular structure experiments operating at the 3W1 beamline of BSRF in the parasitic mode
X. Ju and D.C. Xian 1353

The protein crystallography beamline BW6 at DORIS — automatic operation and high-throughput data collection
H. Blume, P. Bösecke, G.P. Bourenkov, D. Kosciesza and H.D. Bartunik. 1358

Macromolecular structure determination in the post-genome era
P. Kuhn and S.M. Soltis. 1363

Automatic Weissenberg data collection system for time-resolved protein crystallography
N. Sakabe, K. Sakabe, T. Higashi, N. Igarashi, M. Suzuki, N. Watanabe and K. Sasaki 1367

The Joint Structural Biology Group beam lines at the ESRF: Modern macromolecular crystallography
E.P. Mitchell 1372

The bio-crystallography beamline (BL41XU) at SPring-8
M. Kawamoto, Y. Kawano and N. Kamiya 1375

Modelling heating effects in cryocooled protein crystals
J. Nicholson, C. Nave, K. Fayz, B. Fell and E. Garman 1380

Improvement of a high pressure cell with diamond windows for solution X-ray scattering of proteins
Y. Nishikawa, T. Fujisawa, Y. Inoko and M. Moritoki 1384

Section X. Spectroscopy

Extremely high quality soft X-ray beam line BL25SU of SPring-8: instrumentation and research activities
S. Suga 1388

X-ray magneto-optic Kerr effect studies of spring magnet heterostructures
J.B. Kortright, S.-K. Kim, E.E. Fullerton, J.S. Jiang and S.D. Bader 1396

Micromagnetism of a Permalloy stripe array investigated by soft-X-ray T-MOKE
M. Schroeder, A. Ranck, M. Döscher, S. Nepijko, I. Rozhko and E. Kisker 1404

Soft X-ray magnetic dichroism and Faraday rotation measured with linearly polarised light
H.-C. Mertins, F. Schäfers, A. Gaupp, W. Gudat, J. Kunes and P.M. Oppeneer 1407

Magnetic circular dichroism of Gd/transition metal multilayer structures around the Gd $M_{5,4}$-edges
E. Meltchakov, H.-Ch. Mertins, W. Jark and F. Schäfers 1411

Resonant magnetic scattering of linearly polarised soft X-rays from Fe-layers and Fe/C-multilayers
H.-Ch. Mertins, O. Zaharko, F. Schäfers, A. Gaupp, D. Abramsohn, M. Weiss and H. Grimmer 1415

Soft X-ray resonant magnetic reflectivity from Fe/C multilayers
O. Zaharko, H.-Ch. Mertins, H. Grimmer and F. Schäfers 1419

VUV-spectroscopy of anisotropic crystals using polarized synchrotron radiation
I.A. Kamenskikh, V.N. Kolobanov, V.V. Mikhailin, I.N. Shpinkov, D.A. Spassky and G. Zimmerer 1423

Temperature-dependent magnetic EXAFS investigation of Gd
H. Wende, F. Wilhelm, P. Poulopoulos, A. Rogalev, J. Goulon, D.L. Schlagel, T.A. Lograsso and K. Baberschke 1426

Surface magnetization dynamics at the nanosecond time scale
F. Sirotti, S. Girlando, C. Spezzani, L. Floreano, P. Torelli, A. Mirone, G. Panaccione and G. Rossi 1430

Development in (X–eX) spectrometer for coincident measurement of the Compton scattered photon and recoil electron
H. Hashimoto, Y. Sato, M. Itou, H. Adachi, S. Kishimoto, H. Sakurai, F. Itoh and H. Kawata. 1434

Measurement of synchrotron pulse durations using surface photovoltage transients
T.E. Glover, G.D. Ackermann, A. Belkacem, B. Feinberg, P.A. Heimann, Z. Hussain, H.A. Padmore, C. Ray, R.W. Schoenlein and W.F. Steele. 1438

Beam-line systems for pump-probe photoelectron spectroscopy using SR and laser
M. Kamada, S. Tanaka, K. Takahashi, Y.-i. Doi, K. Fukui, T. Kinoshita, Y. Haruyama, S. Asaka, Y. Fujii and M. Itoh. 1441

Optimizing a time-resolved X-ray absorption experiment
C. Bressler, M. Saes, M. Chergui, R. Abela and P. Pattison. 1444

Combination of laser and synchrotron radiation used to study atomic and molecular autoionization states
M. Meyer, M. Gisselbrecht, A. Marquette, C. Delisle, M. Larzillière, I. Petrov and V. Sukhorukov 1447

Synchronization of picosecond laser pulses to the target X-ray pulses at SPring-8
Y. Tanaka, T. Hara, H. Kitamura and T. Ishikawa 1451

Optical detection system using time structure of UVSOR for combined laser–SR experiments
J. Azuma, S. Asaka, T. Tsujibayashi, M. Itoh, M. Watanabe, O. Arimoto, S. Nakanishi, H. Itoh and M. Kamada 1455

LSWAVE 2000: Lasers and short-wavelength applications
W. Sandner 1458

Photodissociation thresholds of OH produced from CH_3OH in solid neon and argon
B.-M. Cheng, C.-P. Liu, W.-J. Lo and Y.-P. Lee 1461

Infrared experiments under laser excitations at SPring-8
H. Okamura, K. Fukui, M. Matsunami, K. Terakami, M. Koyanagi, T. Koretsune, T. Moriwaki, H. Kimura, H. Nakagawa, Y. Kondo and T. Nanba 1465

The ALOISA end station at Elettra: a novel multicoincidence spectrometer for angle resolved APECS
R. Gotter, A. Ruocco, A. Morgante, D. Cvetko, L. Floreano, F. Tommasini and G. Stefani 1468

The nuclear lighthouse effect: a new tool for high-resolution X-ray spectroscopy
R. Röhlsberger, T.S. Toellner, K.W. Quast, W. Sturhahn, E.E. Alp and E. Burkel 1473

A photoelectron–photoion coincidence method for the investigation of decay probabilities after innershell photoionization
B. Kanngiesser, S. Brünken, K. Godehusen, Ch. Gerth, W. Malzer, M. Richter and P. Zimmermann 1477

Surface science station of the infrared beamline at SPring-8
M. Sakurai, T. Moriwaki, H. Kimura, S. Nishida and T. Nanba 1481

A high performance angle-resolving electron spectrometer
K. Rossnagel, L. Kipp, M. Skibowski and S. Harm 1485

Performance of soft X-ray emission spectrometer employing charge-coupled device detector
T.A. Sasaki, N. Chugan and Y. Muramatsu 1489

Construction of two-dimensional photoelectron spectrometer at SPring-8
M. Kotsugi, Y. Miyatake, K. Enomoto, K. Fukumoto, A. Kobayashi, T. Nakatani, Y. Saitoh, T. Matsushita, S. Imada, T. Furuhata, S. Suga, K. Soda, M. Jinno, T. Hirano, K. Hattori and H. Daimon 1493

Automated angle-scanning photoemission end-station with molecular beam epitaxy at KEK-PF BL-1C
K. Ono, H. Woong Yeom, K. Horiba, J. Ho Oh, S. Nakazono, T. Kihara, K. Nakamura, T. Mano, M. Mizuguchi, M. Oshima, Y. Aiura and A. Kakizaki 1497

Angle-resolved electron and ion spectroscopy apparatus on the soft X-ray photochemistry beamline BL27SU at SPring-8
K. Ueda, H. Yoshida, Y. Senba, K. Okada, Y. Shimizu, H. Chiba, H. Ohashi, Y. Tamenori, H. Okumura, N. Saito, S. Nagaoka, A. Hiraya, E. Ishiguro, T. Ibuki, I.H. Suzuki and I. Koyano 1502

Angle, energy and mass-resolved ion spectroscopy of core-excited polyatomic molecules
T. Ibuki, K. Okada, K. Saito, T. Gejo, N. Saito and I.H. Suzuki 1505

Development of a time-of-flight mass spectrometer for ion desorption studies at HiSOR
K. Fujii, D. Taga, Y. Nakashima, S. Waki, S. Amin Sardar, Y. Yasui, S.-i. Wada, T. Sekitani and K. Tanaka 1509

A multipurpose electron–ion spectrometer for measurements with synchrotron radiation
M. Huttula, M. Harkoma, E. Nõmmiste and S. Aksela 1514

Electron-TOF-analyser for complete momentum analysis in photoemission from surfaces
M. Schicketanz, A. Oelsner, J. Morais, V. Mergel, H. Schmidt-Böcking and G. Schönhense 1519

High mass-resolution electron–ion–ion coincidence measurements on core-excited organic molecules
T. Tokushima, T. Yanagihara, Y. Senba, H. Yoshida and A. Hiraya 1523

Photon-induced fluorescence spectroscopy (PIFS)
H. Schmoranzer, H. Liebel, F. Vollweiler, R. Müller-Albrecht, A. Ehresmann, K.-H. Schartner and B. Zimmermann 1526

Multi-atom resonances and soft X-ray emission
A. Moewes and E.Z. Kurmaev 1529

Absolute calibration of space-resolving soft X-ray spectrograph for plasma diagnostics
M. Yoshikawa, Y. Okamoto, E. Kawamori, Y. Watanabe, C. Watabe, N. Yamaguchi and T. Tamano . . . 1533

A conceptual design of the set-up for solid state spectroscopy with free electron laser and insertion device radiation
V.N. Makhov and V.N. Kolobanov 1537

Dispersion-compensating scanning X-ray spectrometer for Compton profile measurements
P. Suortti, T. Buslaps, M. DiMichiel, V. Honkimäki, U. Lienert, J.E. McCarthy, J.M. Merino and A. Shukla 1541

An inelastic X-ray spectrometer with 2.2 meV energy resolution
H. Sinn, E.E. Alp, A. Alatas, J. Barraza, G. Bortel, E. Burkel, D. Shu, W. Sturhahn, J.P. Sutter, T.S. Toellner and J. Zhao 1545

Downsizing of Johansson spectrometer for X-ray fluorescence trace analysis with brilliant undulator source
K. Sakurai, H. Eba, K. Inoue and N. Yagi. 1549

Fluorescent mode XAFS measurements of structure changes of new complex porous compounds in the act of annealing in vacuum
S.B. Erenburg, N.V. Bausk, N.G. Naumov, V.E. Fedorov and L.N. Mazalov 1553

μ-XAFS beam line at Pohang Light Source
H.S. Youn, D.-H. Lee, K. Kim, H.J. Choi and Y.M. Koo. 1557

High-resolution X-ray absorption spectra of the π^* resonance of N_2 directly physisorbed on Cu(1 0 0)
G. Ceballos, N. Haack, H. Wende, R. Püttner, D. Arvanitis and K. Baberschke 1560

X-ray absorption spectroscopy of diluted system by undulator photon source and multi-element solid-state detector
H. Tanida and M. Ishii. 1564

Energy-modulation spectroscopy in hard X-ray region
M. Suzuki, N. Kawamura and T. Ishikawa. 1568

Temperature dependence of absorption cross-section of H_2O, HOD, and D_2O in the spectral region 140–193 nm
C.-Y. Chung, E.P. Chew, B.-M. Cheng, M. Bahou and Y.-P. Lee. 1572

Precise photoabsorption cross sections of Ne and Xe
N. Saito and I.H. Suzuki 1577

Author index 1581